

BEST AVAILABLE COPY

16597

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An electronic housing device comprising:
a housing for enclosing electronics and having an opening formed therein;
a line cord attached at one end to said housing and having an opposite end adapted to be connected to a source of electrical power;
a first electrical connector supported on said housing and being accessible;
an extendable housing portion mounted in said opening and being selectively moveable into and out of said housing, said housing and said extendable housing portion having complimentary rails to guide said extendable housing portion during movement into and out of said housing; and
a second electrical connector mounted on said extendable housing portion, said second electrical connector being accessible when said extendable housing portion is extended out of said housing and not being accessible when said extendable housing portion is retracted into said housing.

2. (Original) The device according to claim 1 wherein said second electrical connector is one of a three-prong electrical power outlet, a RJ11 connector, a RJ45 connector and a co-ax connector.

3. (Original) The device according to claim 1 wherein said line cord has hot, neutral and ground wires and said second electrical connector is said three-prong electrical power outlet connected to said hot, neutral and ground wires.

4. (Original) The device according to claim 3 wherein said first electrical connector is a three-prong electrical power outlet connected to said hot, neutral and ground wires.

Claim 5 (Cancelled)

16397

6. (Original) The device according to claim 1 wherein said housing has a stop preventing said extendable housing portion from extending beyond a predetermined distance from said housing.

7. (Original) The device according to claim 1 including a spring loaded pop-out feature for urging said extendable housing portion from said housing.

8. (Currently Amended) The device of claim 1 wherein said first electrical connector is mounted on an exposed end of said ~~extensible~~ extendable housing portion.

9. (Original) The device according to claim 1 wherein said line cord, said first electrical connector and said second electrical connector are connected to a surge protection device.

Claim 10 (Cancelled)

11. (Currently Amended) An electronics housing device comprising:
an enclosed housing having at least one opening formed therein;
at least two accessible electrical connectors mounted on said housing;
an extendable housing portion mounted in said at least one opening and being selectively
extensible in a horizontal direction from and retractable into said housing; and
at least two additional electrical connectors mounted on said ~~extensible~~ extendable
housing portion, at least one of said two additional electrical connectors being
accessible when said extendable housing portion is extended out of said housing
and not being accessible when said extendable housing portion is retracted into
said housing, said at least one electrical connector being mounted in a top surface
of said extendable housing portion.

12. (Original) The device according to claim 11 wherein said at least two accessible electrical connectors are three-prong electrical power outlets.

16597

13. (Original) The device according to claim 11 wherein said at least two additional electrical connectors are three-prong electrical power outlets.

14. (Original) The device according to claim 11 wherein said housing and said extendable housing portion have complimentary rails to guide said extendable housing portion during movement into and out of said housing.

15. (Original) The device according to claim 11 wherein said housing has a stop preventing said extendable housing portion from extending beyond a predetermined distance from said housing.

16. (Original) The device according to claim 11 including a spring loaded pop-out feature for urging said extendable housing portion from said housing.

17. (Original) The device according to claim 11 wherein said at least two accessible electrical connectors and said at least two additional electrical connectors are connected to a surge protection device.

18. (Currently Amended) An electrical power outlet and surge protection device comprising:

- a housing having at least one opening formed therein;
- a first plurality of electrical power outlets mounted on said housing and being accessible;
- an extendable housing portion mounted in said at least one opening and being selectively extensible in a horizontal direction from and retractable into said housing; and
- a second plurality of electrical power outlets mounted on said extensible extendable housing portion and being accessible when said extendable housing portion is extended out of said housing and not being accessible when said extendable housing portion is retracted into said housing, said second plurality of electrical power outlets being mounted in a top surface of said extendable housing portion.

16597

19. (Original) The device according to claim 18 wherein said first and second pluralities of electrical power outlets are connected to a surge protection device in said housing.

20. (Original) The device according to claim 18 wherein said housing and said extendable housing portion have complimentary rails to guide said extendable housing portion during movement into and out of said housing.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.